




**Sirius**

EDITION 2017

WELCOME  
TO FIRST CLASS



Sirius S.p.a., established in 1996, operates in the residential air ventilation and purification market sector, in particular it produces cooker hoods for residential kitchens. Quality, innovation, professional competence, technology and design are rolled into one with a clear and dynamic commercial policy that has permitted rapid growth of the company, ensuring market penetration throughout the world.

Sirius has, in a short time, become a world leader in the sector of high quality decorative cooker hoods, encompassing a wide product range and exporting 90% of its production.

The strategic choices accomplished in the technical productivity sectors, dictated by many years of experience, have been of fundamental importance for the growth and success of the company.

The wide range of products, the different technological possibilities and innovation, the functionality of the components used, such as the motors and the different ventilation components, represent a combination between design and functionality. This gives the clients a wide choice to meet all of their ventilation needs. Our company's philosophy, innovative in the residential kitchen ventilation market, aims to maintain and improve the high quality standards of our production in style, technology and design, synthesized by the realization of the modular and innovative ventilation systems.



CERAMIC HANDMADE

HIVE SLT 27	p. 11
SNOOP SLT 104	p. 15
DERUTA SLT 26	p. 17
LINK SLT 106	p. 19
SQUARES SLTC 103	p. 23
ECLIPSE SLTC 94	p. 25

DOWNDRAFT / UPRIGHT

SUNRISE SDD13	p. 29
ESSENCE SDD16	p. 33
JOLLY SDD17	p. 35
SMOOTH SDD12	p. 37
PUSH UP SDD11	p. 39
SDD2 L TC	p. 41
SDD2 L INOX	p. 43
SDD2 TC / INOX	p. 45
SDD4 TC	p. 47
SDD3 TC	p. 49
UPRIGHT	p. 51

CEILING HOODS

SHAPE SLT 967	p. 55
POD SLT 966	p. 57
RING SLT 962	p. 59
SLT 960	p. 60
SLT 965	p. 61
SLT 963	p. 63
SLT 958 WHITE / INOX	p. 65
SLT 951	p. 67

DECORATIVE ISLAND

ROLL SLT 28	p. 71
SILT 18 / 18 L	p. 73
SILT 21	p. 74
MO 406	p. 75
MO 404	p. 76
MO 405	p. 77
SIL 24 TC	p. 78
SIL 24	p. 79
SIL 5	p. 80

WALL HOODS

APPLIQUE SLT 105	p. 85
TAKSIM SLTC 95	p. 87
SKINNY SLTC 93	p. 89
JEEG SLTC 97	p. 91
SLTR 75	p. 93
SLTC 75	p. 94
SLTC 91	p. 95
SLTC 90	p. 96
SLTC 86	p. 97
SLTC 92	p. 98
SL 92	p. 99
SL 31	p. 100
SL 89	p. 101
SL 50	p. 102
MO 207	p. 103
MO 208	p. 104

BUILT-IN PRODUCTS

WING SLTC 919	p. 109
SL 913	p. 110
SL 914	p. 111
SL 906 L	p. 112
SL 903-P	p. 113
SL - SLT - SM 900	p. 114
SM 905	p. 115
SL 909	p. 116
SL 907	p. 117

INSTALLATION SCHEMES	p. 118
----------------------	--------

REMOTE MOTORS

SEM 1	p. 128
SEM 2	p. 128
SEM 7 BRH	p. 128
SEM 8	p. 128
SEM 9 BRH	p. 129
SEM 10	p. 129
SEM 12 BRH	p. 129
SEM 13	p. 129

ACCESSORIES	p. 130
ENERGY DATA LABEL	p. 131



*"A man who works with his hands  
is a laborer; a man who works  
with his hands and his brain  
is a craftsman; but a man who  
works with his hands and his brain  
and his heart is an artist"*

L. Nizer

# CERAMIC HANDMADE

MADE IN DERUTA, ITALY



Ceramic is an extraordinary material. Among the natural ones, it's the material that offers most versatility. Various methods of manufacturing allow, in fact, many different applications. You can find it in the most diverse contexts: in a high school classroom, where students shape clay using a press during art classes or in the most technological and advanced implementations, such as the coverings of the Space Shuttle.

Though originating from the plain mixing of water and clay, it has the most resistant physical features.


Extraordinary objects have been carved out of this material: from Jo Ponti and Raymond Loewy's porcelains to the creations of the most influencing Italian design master, Ettore Sottsass.

In spite of its limitless potential, ceramic has always been considered as a material belonging to the world of arts, rather than industry. Apart from bathrooms, there are only few examples of ceramic applications for the production of industrial goods.

The curiosity of experimenting new languages in a pretty industrial field - as the one of electric appliances is - pushed us forward. It drew us to cross the border between art/handcraft and industry.

Thanks to the cooperation of professional figures coming from different fields - such as: industrial designers, craftsmen, engineers, technical designers - we gave life to objects with a technological soul. Though being produced in series, they maintain that authenticity typical of the unique piece.

## HIVE SILT 27



remote control / on board motor / rounded strip led / stainless steel filter / only filtering version

DESIGN GIACOMO FAVA

**ceramic**

gold / silver / copper / white



CERAMIC HANDMADE | 11



10 | CERAMIC HANDMADE




motor: 550 m3 h  
absorption: 110 W  
noise level: 68 dBA  
lighting: rounded led 20W





## SNOOP SLT 104



motor: 600 m3 h  
absorption: 230 W  
noise level: 65 dBA  
lighting: led strip 6,5W

## DERUTA SILT 26





remote control / on board motor / rounded strip led / stainless steel filter / only filtering version

DESIGN GIACOMO FAVA


**ceramic**

white / gold / silver / copper / black

16 | CERAMIC HANDMADE



**SILT 26 LAMP**  
lighting: round neon 82W



motor: 550 m3 h  
absorption: 110 W  
noise level: 68 dBA  
lighting: rounded led 20W

CERAMIC HANDMADE | 17

## LINK SLT 106



remote control / on board motor / led strip / stainless steel filter / only filtering version

DESIGN GIACOMO FAVA

**ceramic**


gold / silver / copper / white

CERAMIC HANDMADE | 19



18 | CERAMIC HANDMADE






motor: 600 m3 h  
absorption: 230 W  
noise level: 65 dBA  
lighting: led strip 6.5W



## SQUARES SLTC 103



product dim. motor model identifier EEI  
SLTC 103 700 on-board P103070TC1280113 A  
energy label pag. 134

DESIGN GIACOMO FAVA

**glass / ceramic**  
white glass and ceramic panel (gold - silver - copper)  
black glass and ceramic panel (gold - silver - copper)


# ECLIPSE SLTC 94



DESIGN GIACOMO FAVA

CERAMIC HANDMADE

glass / ceramic  
white glass and ceramic panel (gold - silver - copper)  
black glass and ceramic panel (gold - silver - copper)



product dim. motor model identifier EE  
SLTC94 800 on-board PD94080TC1280113 A  
energy label pag. 134

24 CERAMIC HANDMADE

touch control / on board motor / led strip / top or back vented / aluminium anodized filter

*“There is a moment in every  
dawn when light floats,  
there is the possibility of magic.  
Creation holds its breath.”*

Douglas Adams

# DOWNDRAFT UPRIGHT

## SUNRISE S DD 13



DESIGN GIACOMO FAVA

stainless steel / glass  
gold / copper


DOWNDRAFT - UPRIGHT

29

remote control / on board motor / external motor / led strip / polished stainless steel filter







# ESSENCE S DD 16



touch control / external motor / patented filter with oil collector

DESIGN GIACOMO FAVA

painted stainless steel / glass  
 frame black / inox

DOWNDRAFT - UPRIGHT



**note**


- Suction opening by 45° and 90°
- For the installation create a niche in the countertop of 102 x 832mm
- The motor is not included on the external motor version. See p. 128-129

**\* It can be installed only on kitchen counters measuring more than 750mm of depth**

product	dim.	motor	model identifier	EER
S-DD16 EM 845 SEM1			D016085TC129XX61 A	
S-DD16 EM 845 SEM2			D016085TC115XX61 B	
S-DD16 EM 845 SEM10			D016085TC130XX61 B	
BRH S-DD16 EM 845 SEM12			D016085TC131XX61 B	
* S-DD16 EM 845 SEM13			D016085TC125XX61 C	


energy label pag. 131

installation schemes pag. 118



DOWNDRAFT - UPRIGHT

# JOLLY S DD 17



patented filter  
with oil collector

## note

- For the installation create a niche in the countertop of 114 x 486mm
- The motor is not included on the external motor version. See p. 128-129

product	dim.	motor	model identifier	EEL
S-DD17 EM 520 SEM1	D017052TC129XX69	A		
S-DD17 EM 520 SEM2	D017052TC115XX69	B		
S-DD17 EM 520 SEM10	D017052TC130XX69	C		
BRH S-DD17 EM 520 SEM12	D017052TC131XX69	B		
S-DD17 EM 520 SEM13	D017052TC125XX69	C		

energy label pag. 131

installation schemes pag. 118

DESIGN GIACOMO FAVA





# SMOOTH S DD 12



DESIGN GIACOMO FAVA

DOWNDRAFT - UPRIGHT  
painted stainless steel / glass  
white / black






PUSH UP S DD 11



chromed push-button / on board motor / external motor / led strip / polished stainless steel filter

DESIGN GIACOMO FAVA

DOWNDRAFT - UPRIGHT  
painted stainless steel / glass  
white / black





SDD 2 LTC




product	dim.	motor	model identifier	EEL
SDD2-L TC	575	on-board	D002058TC1281116	B
SDD2-L-EM TC	575	SEM1	D002058TC1291116	B
SDD2-L-EM TC	575	SEM2	D002058TC1151116	C
SDD2-L-EM TC	575	SEM8	D002058TC1171116	C
SDD2-L-EM TC	575	SEM10	D002058TC1301116	C
SDD2-L TC	875	on-board	D002088TC1281415	A
SDD2-L-EM TC	875	SEM1	D002088TC1291415	B
SDD2-L-EM TC	875	SEM2	D002088TC1151415	C
SDD2-L-EM TC	875	SEM7 Ø150	D002088TC1161415	A
SDD2-L-EM TC	875	SEM7 Ø200	D002088TC1161415	A
SDD2-L-EM TC	875	SEM8	D002088TC1171415	C
SDD2-L-EM TC	875	SEM10	D002088TC1301405	C
SDD2-L-EM TC	875	SEM12	D002088TC1311405	B
SDD2-L TC LED	875	on-board	D002088PBI282415	A
SDD2-L-EM TC LED	875	SEM1	D002088PBI292415	B
SDD2-L-EM TC LED	875	SEM2	D002088PBI152415	C
SDD2-L-EM TC LED	875	SEM7 Ø150	D002088PBI162415	A+
SDD2-L-EM TC LED	875	SEM7 Ø200	D002088PBI162415	A+
SDD2-L-EM TC LED	875	SEM8	D002088PBI172415	C
SDD2-L-EM TC LED	875	SEM10	D002088PBI302415	C
SDD2-L-EM TC LED	875	SEM12	D002088PBI312415	B
SDD2-L TC	1175	on-board	D002118TC1281317	B
SDD2-L-EM TC	1175	SEM1	D002118TC1291317	B
SDD2-L-EM TC	1175	SEM2	D002118TC1151317	C
SDD2-L-EM TC	1175	SEM8	D002118TC1171317	C
SDD2-L-EM TC	1175	SEM10	D002118TC1301317	C


energy label pag. 131  
Installation schemes pag. 118

**note**

- For the installation create a niche in the countertop using the following dimensions:  
for 575 mm: 100x542 mm  
for 875 mm: 100x642 mm  
for 1175 mm: 100x1142 mm
- This downdraft is equipped with anti-crushing safety system
- The motor is not included on the external motor version. See p. 128-129
- The motor on board needs to be purchased separately.



external motor



motor on board




SDD 2 L / INOX




product	dim.	motor	DESIGN SIRIUS	model identifier	EEL
SDD2-L INOX	575	on-board		D002058PB1281116	B
SDD2-L-EM INOX	575	SEM1		D002058PB1291116	B
SDD2-L-EM INOX	575	SEM2		D002058PB1151116	C
SDD2-L-EM INOX	575	SEM8		D002058PB1171116	C
SDD2-L-EM INOX	575	SEM10		D002058PB1301116	C
SDD2-L INOX	875	on-board		D002088PB1281415	A
SDD2-L-EM INOX	875	SEM1		D002088PB1291415	B
SDD2-L-EM INOX	875	SEM2		D002088PB1151415	C
SDD2-L-EM INOX	875	SEM7 0150		D002088PB1161415	A
SDD2-L-EM INOX	875	SEM7 0200		D002088PB1161415	A
SDD2-L-EM INOX	875	SEM8		D002088PB1171415	C
SDD2-L-EM INOX	875	SEM10		D002088PB1301405	C
SDD2-L INOX LED	875	SEM12		D002088PB1311405	B
SDD2-L-EM INOX LED	875	on-board		D002088TC1282415	A
SDD2-L-EM INOX LED	875	SEM1		D002088TC1292415	B
SDD2-L-EM INOX LED	875	SEM2		D002088TC1152415	C
SDD2-L-EM INOX LED	875	SEM7 0150		D002088TC1162415 A+	
SDD2-L-EM INOX LED	875	SEM7 0200		D002088TC1162415 A+	
SDD2-L-EM INOX LED	875	SEM8		D002088TC1172415 C	
SDD2-L-EM INOX LED	875	SEM10		D002088TC1302415 C	
SDD2-L-EM INOX LED	875	SEM12		D002088TC1312415 B	
SDD2-L INOX	1175	on-board		D002118PB1281317	B
SDD2-L-EM INOX	1175	SEM1		D002118PB1291317	B
SDD2-L-EM INOX	1175	SEM2		D002118PB1151317	C
SDD2-L-EM INOX	1175	SEM8		D002118PB1171317	C
SDD2-L-EM INOX	1175	SEM10		D002118PB1301317	C

energy label pag. 131  
installation schemes pag. 118



external motor



motor on board

**note**  
- Create a niche in the countertop using the following dimensions:  
for 575 mm: 100x542 mm  
for 875 mm: 100x842 mm  
for 1175 mm: 100x1142 mm  
- This downdraft is equipped with anti-crushing safety system  
- The motor is not included on the external motor version. See p. 128-129  
- The motor on board needs to be purchased separately.

touch control / on board motor / external motor / anodized aluminium filter


S DD 2 TC / INOX




SDD 2 INOX

SDD 2 TC

DESIGN SIRIUS



external motor



motor on board

product	dim. motor	model identifier	EEl
SDD2 INOX	580 on-board	D002058PB128XX07	A
SDD2_EM INOX	580 SEM1	D002058PB129XX07	A
SDD2_EM INOX	580 SEM2	D002058PB115XX07	C
SDD2_EM INOX	580 SEM8	D002058PB117XX07	C
SDD2_EM INOX	580 SEM10	D002058PB130XX07	B
SDD2 TC	580 on-board	D002058TC128XX07	A
SDD2_EM TC	580 SEM1	D002058TC129XX07	A
SDD2_EM TC	580 SEM2	D002058TC115XX07	C
SDD2_EM TC	580 SEM8	D002058TC117XX07	C
SDD2_EM TC	580 SEM10	D002058TC130XX07	B
SDD2 INOX	875 on-board	D002088PB128XX05	A+
SDD2_EM INOX	875 SEM1	D002088PB129XX05	B
SDD2_EM INOX	875 SEM2	D002088PB115XX05	B
SDD2_EM INOX	875 SEM8	D002088PB117XX05	C
SDD2_EM INOX	875 SEM10	D002088PB130XX05	B
SDD2 TC	875 on-board	D002088TC128XX05	A+
SDD2_EM TC	875 SEM1	D002088TC129XX05	B
SDD2_EM TC	875 SEM2	D002088TC115XX05	B
SDD2_EM TC	875 SEM8	D002088TC117XX05	C
SDD2_EM TC	875 SEM10	D002088TC130XX05	B


**note**  
- Create a niche in the countertop using the following dimensions:  
for 580 mm: 100x490 mm  
for 880 mm: 100x290 mm  
- This downdraft is equipped with anti-crushing safety system  
- The motor is not included on the external motor version. See p. 128-129  
- The motor on board needs to be purchased separately.

energy label pag. 131  
in installation schemes pag. 118

SDD 4 TC



DESIGN SIRIUS



motor on board

external motor

product	dim.	motor	model identifier	EEL
SDD4_880TC	880	on-board	D004088TC1281415	A
SDD4_EM_880TC	880	SEM1	D004088TC1291415	B
SDD4_EM_880TC	880	SEM2	D004088TC1151415	C
SDD4_EM_880TC	880	SEM8	D004088TC1171415	C
SDD4_EM_880TC	880	SEM10	D004088TC1301415	C

energy label pag. 131  
installation schemes pag. 118


**note**  
- For the installation create a niche in the countertop for 100x790 mm  
- This downdraft is equipped with anti-crushing safety system  
- The motor is not included on the external motor version. See p.128-129  
- The motor on board needs to be purchased separately.

touch control / on board motor / external motor / neon / anodized aluminium filter

# SDD 3 TC DOMINO



DESIGN SIRIUS



**note:**  
 - For the installation create a niche in the countertop for 104x490 mm  
 - This downdraft is equipped with anti-crushing safety system  
 - The motor is not included on the external motor version. See p. 128-129  
 - The motor on board needs to be purchased separately.

product	dim. motor	model identifier	EEL
SDD3_EM_TC 520 on-board	D003052TC1 28XX07	A	
SDD3_EM_TC 520 SEM1	D003052TC1 29XX07	A	
SDD3_EM_TC 520 SEM2	D003052TC1 115XX07	C	
SDD3_EM_TC 520 SEM8	D003052TC1 17XX07	C	
SDD3_EM_TC 520 SEM10	D003052TC1 30XX07	B	

energy label pag. 131  
 installation schemes pag. 118




UPRIGHT



DESIGN SIRIUS

stainless steel

DOWNDRAFT - UPRIGHT



**note**  
- For the installation create a niche in the cabinet for 718 x 267 mm  
- The motor is not included on the external motor version. See p. 128-129  
- The "Upright", a new and innovative product thanks to the exclusive vertical suction system and automatic extraction that represents the most advanced and incomparable concept of technology.

product	dim.	motor	model identifier	EEL
UPRIGHT-built-in	800	on-board	U001087PB1280262	A
UPRIGHT-EM built-in	800	SEM1	U001087PB1290262	A
UPRIGHT-EM built-in	800	SEM2	U001087PB1150262	C

energy label pag. 131

chromed push-button / on board motor / external motor / led strip / stainless steel filter

50 DOWNDRAFT - UPRIGHT

*"The air up there in the clouds  
is very pure and fine,  
bracing and delicious.  
And why shouldn't it be?  
It is the same the angels breathe."*


Mark Twain

# CEILING HOODS





# SHAPE SLT 967



**built-in**  
\* this part must not be built-in

Product	Motor	Model Identifier	EEL
SLT967	on-board	C967100RC1242565	C
BRH	on-board	C967100RC1272565	B
SLT967	EM SEM1	C967100RC1292565	B
SLT967	EM SEM2	C967100RC1152565	C
SLT967	EM SEM8	C967100RC1172565	C

energy label pag. 133

**note**  
- For the installation, create a false ceiling with a niche of 730 x 450 mm whose minimum height to be reached is 110 mm (only for built-in version)  
- The motor is not included on the external motor version. See p. 128-129


remote control / on board motor / external motor / led strip / stainless steel filter / ambient light / dimmer light

DESIGN GIACOMO FAVA


stainless steel / white glass  
white



POD SLT 966



freestanding



built-in

\* this part must not be built-in

**note**

- For the installation, create a false ceiling with a niche of 730 x 450 mm whose minimum height to be reached is 170mm (only for built-in version)
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEL
SLT966 BRH	on-board	C966100RC1243268 B	B
SLT966	on-board	C966100RC1273268 B	B
SLT966 EM SEM1	on-board	C966100RC1293268 A	A
SLT966 EM SEM2	on-board	C966100RC1153268 B	B
SLT966 EM SEM8	on-board	C966100RC1173268 C	C

energy label pag. 133

DESIGN GIACOMO FAVA



SLT 960




SLT 965




remote control / on board motor / external motor / led strip / anodized aluminium filter / dimmer light

DESIGN SIRIUS



note

- For the installation, create a false ceiling with aniche of 750 x 550 mm whose minimum height to be reached is 215mm (only for built-in version)  
- The motor is not included on the external motor version. See p. 128-129




built-in  
\* Ø 150mm  
\*\* Ø 200mm  
# this part must not be built-in

Product	Motor	Model Identifier	EEI
SLT960	on-board	C960110RC1280435	B
SLT960 EM	SEM1	C960110RC1290435	B
SLT960 EM	SEM2	C960110RC1150435	C
SLT960 EM	SEM8	C960110RC1170435	C


energy label pag. 133

DESIGN SIRIUS



note

- For the installation, create a false ceiling with a niche of 720 x 520 mm whose minimum height to be reached is 150mm (only for built-in version)  
- The motor is not included on the external motor version. See p. 128-129



built-in  
\* this part must not be built-in

Product	Motor	Model Identifier	EEI
BRH SLT965	on-board	C965110RC1270460	B
SLT965	on-board	C965110RC1240460	C
SLT965 EM	SEM1	C965110RC1290460	B
SLT965 EM	SEM2	C965110RC1150460	C
SLT965 EM	SEM8	C965110RC1170460	C


energy label pag. 133

SLT 963



DESIGN SIRIUS

DESIGN SIRIUS  
painted stainless steel / glass  
white



**note**  
- For the installation, create a false ceiling with a niche of 900 x 500 mm whose minimum height to be reached is 160mm (only for built-in version)  
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEL
SLT 963 on-board	C963095RC1240324	C	
SLT963 EM SEM1	C963095RC1290324	B	
SLT963 EM SEM2	C963095RC1150324	C	
SLT963 EM SEM8	C963095RC1170324	C	


energy/label pag. 133

built-in  
\* this part must not be built-in





SLT 958 WHITE  
painted stainless steel  
white glass



#### SLT 958 WHITE/INOX

##### note on board motor

- For the installation create a false ceiling with a niche of 865mm x 405mm whose minimum height to be reached is 330mm

##### note external motor

- For the installation create a false ceiling with a niche of 865mm x 405mm whose minimum height to be reached is 270mm  
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEL
SLT958	on-board	C958090RC1280137	A
SLT958	EM SEM1	C958090RC1290137	B
SLT958	EM SEM2	C958090RC1150137	B
SLT958	EM SEM8	C958090RC1170137	B

energy label pag. 133

## SLT 958 WHITE / INOX



SLT 958 INOX

DESIGN SIRIUS

stainless steel

CEILING HOODS

64 | CEILING HOODS

65

remote control / on board motor / external motor / led strip / anodized aluminium filter / dimmer light


# SLT 951



DESIGN SIRIUS

stainless steel

CEILING HOODS 67



## note

- For the installation, create a false ceiling with a niche of 1065 x 665 mm whose minimum height to be reached is 270mm
- The motor is not included on the external motor version. See p. 128-129

Product Motor Model Identifier EEI  
SLT951 EM SEM1 C951110RC1291037 C  
SLT951 EM SEM2 C951110RC1151037 C  
SLT951 EM SEM8 C951110RC1171037 C

energy/label pag. 133

66 CEILING HOODS

remote control / external motor / dichroic lamp / anodized aluminium filter

*"The larger the island  
of knowledge,  
the longer the shoreline  
of wonder."*

Ralph W. Sockman

# DECORATIVE ISLAND



## ROLL SILT 28




remote control / on board motor / round neon / anodized aluminium filter / only filtering version / perimetral suction

DESIGN GIACOMO FAVA

**stainless steel painted**  
gold / copper / white / black


DECORATIVE ISLAND 71



motor: 550 m3 h  
absorption: 230 W  
noise level: 63 dBA  
lighting: round neon 40W



SILT 28 LAMP  
lighting: round neon 40W



70 DECORATIVE ISLAND

## SILT 18 | SILT 18 L



SILT 18


DESIGN SIRIUS

chrome stainless steel / fiberglass  
black / light


DECORATIVE ISLAND

73

remote control / on board motor / led spot (SILT 18) / round neon (SILT 18L) / anodized aluminium filter / only filtering version



SILT 18 L



SILT 18  
motor: 550 m3 h  
absorption: 135 W  
noise level: 50 dBA  
lighting: 1 led x 3W


SILT 18 L  
motor: 550 m3 h  
absorption: 135 W  
noise level: 50 dBA  
lighting: neon 2 x 40W

72 | DECORATIVE ISLAND

## SILT 21



DESIGN SIRIUS




motor: 550 m3 h  
absorption: 135 W  
noise level: 50 dBA  
lighting: 4 leds x 1,2W

DESIGN SIRIUS



## MO 406



product dim. motor model identifier EEI  
MO406 on-board 1406040RC1280857 B  
energy label pag. 134


remote control / on board motor / led spot / anodized aluminium filter

remote control / on board motor / round neon / anodized aluminium filter / perimetral suction

MO 404



DESIGN SIRIUS



product dim. motor  
MO404 on-board  
energy label pag. 134

model identifier  
1404036RC1282604


EEL  
A

remote control / on board motor / led spot / anodized aluminium filter

MO 405



DESIGN SIRIUS



product dim. motor  
MO405 on-board  
energy label pag. 134

model identifier  
1405040RC1282604


EEL  
A

remote control / on board motor / led spot / anodized aluminium filter

SIL 24 TC



DESIGN SIRIUS




product dim. motor model identifier EEI  
SIL 24 TC 900 on-board 1024090TC1280137 A  
energy label pag. 134

SIL 24




DESIGN SIRIUS




product dim. motor model identifier EEI  
SIL 24 900 on-board 1024090PB1280137 A  
energy label pag. 134



SIL 5



DESIGN SIRIUS



chromed push button / on board motor / external motor / led spot / anodized aluminium filter

*"A noble soul is not the one  
that can manage the highest flights,  
but the one that rises very little  
and falls very little but always  
dwells in a free, resplendent  
atmosphere and altitude."*

Friedrich Nietzsche

# WALL HOODS

# APPLIQUE SLT 105




DESIGN GIACOMO FAVA

**stainless steel painted**  
gold / copper / white / black

WALL HOODS 85



Chromed bracket



motor: 550 m3 h  
absorption: 230 W  
noise level: 63 dBA  
lighting: round neon 40W



WALL HOODS 84

remote control / on board motor / round neon / aluminum anodized filter / only filtering version / perimetral suction


# TAKSIM SLTC 95




DESIGN GIACOMO FAVA

stainless steel / glass  
white / black

touch control / on board motor / led strip / aluminum anodized filter / top or back vented



product dim. motor model identifier EEI  
SLTC95 670 on-board P095067TC1280118 A  
energy / label pag. 134

**SKINNY SLTC 93**

product	dim.	motor	model identifier	EEl
SLTC93 60	600	on-board	P093060TC1 280122 A	
SLTC93 90	800	on-board	P093080TC1 280122 A	

*energy label pag. 134*



DESIGN GIACOMO FAVA

stainless steel / glass  
silver / gold / black

WALL HOODS | 89

touch control / on board motor / led strip / aluminium anodized filter / top or back vented




# JEEG SLTC 97



DESIGN GIACOMO FAVA

stainless steel painted / smoked glass  
white / black

touch control / on board motor / led strip / stainless steel / aluminium anodized filter / top or back vented



product dim. motor model identifier EEI  
SLTC97 900 on-board P097090TC1280102 A  
energy label pag. 134


## SLTR 75



DESIGN SIRIUS

polished stainless steel / black glass

WALL HOODS 93



### note

- A front panel automatic opening according to the speed selected.
- This hood is equipped with anti-crushing safety system.

product dim. motor model identifier EEL  
SLTR 75 (60) 600 on-board P075060881010121 B  
SLTR 75 (90) 900 on-board P075090881280220 A+  
energy/label pag. 134


92 WALL HOODS

round knob / on board motor / led strip / aluminium anodized filter / top or back vented

## SLTC 75



DESIGN SIRIUS




**note**  
- A front panel automatic opening according to the speed selected.  
- This hood is equipped with anti-crushing safety system

product dim. motor model identifier EEI  
SLTC 75 (60) 600 on-board P075060TC1 010121 B  
SLTC 75 (90) 900 on-board P075090TC1 280220 A+  
energy label pag. 134

## SLTC 91



DESIGN SIRIUS




product dim. motor model identifier EEI  
SLTC91 80 800 on-board P091080TC1 280122 A  
energy label pag. 134

SLTC 90



DESIGN SIRIUS




product dim. motor model identifier EEI  
SLTC90 55 550 on-board P090055TC1280113 A  
energy label pag. 134

touch control / on board motor / led strip / aluminium anodized filter / top or back vented

SLTC 86



DESIGN SIRIUS



product dim. motor model identifier EEI  
SLTC 86 80 800 on-board P086080TC1010157 B  
energy label pag. 134


touch control / on board motor / led strip / aluminium anodized filter / top or back vented / perimetral suction

SLTC 92



touch control / on board motor / led strip / aluminium anodized filter

DESIGN SIRIUS




product dim. motor model identifier EEI  
SLTC92 900 on-board P092090TC1280137 A  
energy label pag. 134

SL 92



chromed push-button / on board motor / led strip / aluminium anodized filter

DESIGN SIRIUS



product dim. motor model identifier EEI  
SL92 900 on-board P092090PB1280137 A  
energy label pag. 134




SL 31



chromed push-button / external motor / on board motor / led spot / aluminium anodized filter

DESIGN SIRIUS



product	dim.	motor	model identifier	EEI
SL 31	600	on-board	P031060P B1280637	A
SL 31	900	on-board	P031090P B1280637	A
SL 31	1000	on-board	P031100P B1280637	A
SL 31	1200	on-board	P031120P B1280637	A
SL 31-EM	900	SEM1	P031090P B1290637	A
SL 31-EM	900	SEM2	P031090P B1150637	B


energy label pag. 134

SL 89



chromed push-button / on board motor / led spot / aluminium anodized filter

DESIGN SIRIUS




product	dim.	motor	model identifier	EEI
SL89 55	550	on-board	P089055PB1280542	A
SL89 80	800	on-board	P089080PB1280542	A

energy label pag. 134

SL 50



DESIGN SIRIUS




product dim. motor on-board P050060PB1280657 A  
SL 50 600 on-board P050060PB1280657 A  
energy label pag. 134

chromed push-button / on board motor / led spot / aluminium anodized filter

MO 207



DESIGN SIRIUS




product dim. motor on-board P207040RC1282604 A  
MO207 600 on-board P207040RC1282604 A  
energy label pag. 134

remote control / on board motor / led spot / aluminium anodized filter

MO 208



DESIGN SIRIUS



remote control / on board motor / led spot / aluminium anodized filter

product dim. motor model identifier EEI  
MO208 on-board P208036RC1282604 A  
energy label pag. 134

*“And above all, watch with glittering  
eyes the whole world around you  
because the greatest secrets are  
always hidden in the most unlikely places.  
Those who don’t believe  
in magic will never find it.”*

Roald Dahl

## BUILT-IN PRODUCTS

# WING SLTC 919



touch control / on board motor / led strip / anodized aluminium filter / top or back vented

DESIGN GIACOMO FAVA

stainless steel / glass panel


BUILT-IN PRODUCTS 109



note  
- Cut out for: 520-265 x 498mm  
- Cut out for: 850-265 x 835mm

product dim. motor model identifier EEI  
SLTC 919 520 on-board G919052TC1 280166 A  
SLTC 919 850 on-board G919085TC1 280267 A+

energy/label pag. 135




BUILT-IN PRODUCTS 108



SL 913



DESIGN SIRIUS




**note**  
- Cut out for 520: 265 x 502mm  
- Cut out for 780: 265 x 764mm

product dim. motor model identifier EEI  
SL 913 520 on-board G913052PB1280127 A  
SL 913 780 on-board G913078PB1280227 A  
energy label pag. 135

SL 914



DESIGN SIRIUS




**note**  
- Cut out for 520: 265 x 502mm  
- Cut out for 780: 265 x 764mm

product dim. motor model identifier EEI  
SL 914 520 on-board G914052PB1280529 A  
SL 914 850 on-board G914078PB1280524 A  
energy label pag. 135

SL 906-L



DESIGN SIRIUS



**note**  
- Cut out for 520: 265 x 498 mm  
- Cut out for 850: 265 x 835 mm  
- Cut out for 1000: 265 x 985 mm


product	dim. motor	model identifier	EEI
SL 906-L 520	on-board	G906052PB1280152	A
SL 906-L 850	on-board	G906085PB1280253	A
SL 906-L 1000	on-board	G906100PB1280349	A

energy label pag. 135

SL 903-P



DESIGN SIRIUS



**note**  
- Cut out for 700: 255 x 649 mm  
- Cut out for 900: 255 x 849 mm

product	dim. motor	model identifier	EEI
SL 903-P	700 on-board	G903070PB1280541	A
SL 903-P-EM	700 SEM1	G903070PB1290541	B
SL 903-P-EM	700 SEM2	G903070PB1150541	C
SL 903-P	900 on-board	G903090PB1280541	A
SL 903-P-EM	900 SEM1	G903090PB1290541	B
SL 903-P-EM	900 SEM2	G903090PB1150541	C


energy label pag. 135

SL - SLT - SM 900



push-button (SM 900 - SL 900) / remote control (SLT 900) / on board motor / led spot / anodized aluminium filter

DESIGN SIRIUS



**note**  
- Cut out for 520-495 x 272mm  
- Cut out for 700-675 x 272mm


product dim.	motor	model identifier	EEI
SM 900 520	on-board	G900052PB1010657	B
SM 900 700	on-board	G900070PB1010657	B
SL 900 520	on-board	G900052PB1280657	A
SL 900 700	on-board	G900070PB1280657	A
SLT 900 520	on-board	G900052RC1280657	A
SLT 900 700	on-board	G900070RC1280657	A

energy label pag. 135

SM 905



DESIGN SIRIUS



**note**  
- Cut out for 520-265 x 502mm  
- Cut out for 850-265 x 834mm

product dim.	motor	model identifier	EEI
SM 905 520	on-board	G905052PB1010624	B
SM 905 850	on-board	G905085PB1010624	B

energy label pag. 135



push-button / on board motor / led spot / anodized aluminium filter



# INSTALLATION SCHEMES







SDD16 - SDD17 WITH SEM13











**S-DD16 WITH SEM1 OR SEM2 (ALSO BACK OUTLET VERSION)**  
(USING KIT INSTALLATION SDD16 WITH SEM1 OR SEM2)





**S-DD16 (BACK OUTLET) WITH SEM10 - SEM12**






## S-DD16 WITH SEM10 - SEM12




## S-DD17 WITH SEM10 - SEM12







**S-DD17 WITH SEM1 OR SEM2**  
(USING KIT INSTALLATION SEM1 OR SEM2)





KIT INSTALLATION SEM1 OR SEM2






**S-DD11 WITH SEM10 - SEM12**





**SDD11 WITH SEM1 - SEM2**  
(USING KIT INSTALLATION SDD6 WITH SEM1 OR SEM2)











**SDD2 - SDD2 L.F.T. - SDD3 - SDD4 - SDD12 AND SDD13 WITH SEM10**  
**SDD2 L.F.T. CM 90 WITH SEM12\***



KIT INSTALLATION SDD16 WITH SEM1 OR SEM2








**KFHE2**  
BASE FILTER  
UNIT HIGH  
EFFICIENCY  
FOR DOWNDRAFT

## DOWNDRAFT UPRIGHT

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Class	Weighted Sound Power Emission at maximum speed	Air flow at intensive /boost setting	Lighting
SDD2-INOX	580	on-board	D002058PB128XX07	A	45,9	A	A	GFE	dB(A)	Qmax	W
SDD2-EM INOX	580	SEM1	D002058PB129XX07	A	44,6	B	n/a	E	69	636	no
SDD2-EM INOX	580	SEM2	D002058PB115XX07	C	83	C	n/a	E	66	595	no
SDD2-EM INOX	580	SEM6	D002058PB115XX07	C	101,1	C	n/a	F	66	577	no
SDD2-EM INOX	580	SEM10	D002058PB130XX07	B	52,2	C	n/a	F	70	622	no
SDD2-TC	580	on-board	D002058TC128XX07	A	45,9	A	n/a	E	69	636	no
SDD2-EM TC	580	SEM1	D002058TC129XX07	A	44,6	B	n/a	E	66	595	no
SDD2-EM TC	580	SEM2	D002058TC115XX07	C	83	C	n/a	E	68	577	no
SDD2-EM TC	580	SEM6	D002058TC117XX07	C	101,1	C	n/a	E	70	622	no
SDD2-EM TC	580	SEM10	D002058TC130XX07	B	52,2	C	n/a	E	67	622	no
SDD2-L INOX	580	on-board	D002058LB1281116	B	51,7	A	E	E	69	636	1x8
SDD2-L-EM INOX	580	SEM1	D002058LB1291116	B	50,5	B	E	E	66	595	1x8
SDD2-L-EM INOX	580	SEM2	D002058LB1151116	C	88,9	C	E	E	66	577	1x8
SDD2-L-EM INOX	580	SEM6	D002058LB1171116	C	106,9	C	E	E	70	622	1x8
SDD2-L-EM INOX	580	SEM10	D002058LB1301116	C	58,1	C	E	E	67	622	1x8
SDD2-L-TC	580	on-board	D002058TC1281116	B	51,7	A	E	E	69	636	1x8
SDD2-L-EM TC	580	SEM1	D002058TC1291116	B	50,5	B	E	E	66	595	1x8
SDD2-L-EM TC	580	SEM2	D002058TC1151116	C	86,9	C	E	E	68	577	1x8
SDD2-L-EM TC	580	SEM6	D002058TC1171116	C	106,9	C	E	E	70	622	1x8
SDD2-INOX	875	on-board	D002088PB128XX05	A+	40,9	A	n/a	E	68	757	no
SDD2-EM INOX	875	SEM1	D002088PB129XX05	B	50,9	A	n/a	E	59	682	no
SDD2-EM INOX	875	SEM2	D002088PB115XX05	C	79,3	C	n/a	E	62	731	no
SDD2-EM INOX	875	SEM6	D002088PB117XX05	C	99	B	n/a	F	64	753	no
SDD2-EM INOX	875	SEM10	D002088PB130XX05	B	50,6	C	n/a	E	61	530	no
SDD2-TC	875	on-board	D002088TC128XX05	A+	40,9	A	n/a	E	68	757	no
SDD2-EM TC	875	SEM1	D002088TC129XX05	B	50,9	C	n/a	E	59	682	no
SDD2-EM TC	875	SEM2	D002088TC115XX05	B	79,3	C	n/a	E	62	731	no
SDD2-EM TC	875	SEM6	D002088TC117XX05	C	99	B	n/a	F	64	753	no
SDD2-EM TC	875	SEM10	D002088TC130XX05	B	50,6	C	n/a	E	61	530	no
SDD2-L INOX	875	on-board	D002088PB1281415	A	51,1	A	E	E	68	757	1x14
SDD2-L-EM INOX	875	SEM1	D002088PB1291415	B	61,1	A	E	E	59	682	1x14
SDD2-L-EM INOX	875	SEM2	D002088PB1151415	C	89,5	C	E	E	62	731	1x14
SDD2-L-EM INOX	875	SEM7 Ø150	D002088PB1161415	A	115,8	A	E	F	72	1142	1x14
SDD2-L-EM INOX	875	SEM7 Ø200	D002088PB1161415	A	119,4	A	E	F	74	1328	1x14
SDD2-L-EM INOX	875	SEM8	D002088PB1171415	C	109,2	B	E	F	64	753	1x14
SDD2-L-EM INOX	875	SEM10	D002088PB1301405	C	60,8	C	E	E	61	530	1x14
SDD2-L-EM INOX	875	SEM12	D002088PB1311405	B	71,7	A	E	E	68	668	1x14
SDD2-L-TC	875	on-board	D002088TC1281415	A	51,1	A	E	E	68	757	1x14
SDD2-L-EM TC	875	SEM1	D002088TC1291415	B	61,1	A	E	E	59	682	1x14
SDD2-L-EM TC	875	SEM2	D002088TC1151415	C	89,5	C	E	E	62	731	1x14
SDD2-L-EM TC	875	SEM7 Ø150	D002088TC1161415	A	115,8	A	E	F	72	1142	1x14
SDD2-L-EM TC	875	SEM7 Ø200	D002088TC1161415	A	119,4	A	E	F	74	1328	1x14
SDD2-L-EM TC	875	SEM8	D002088TC1171415	C	109,2	B	E	F	64	753	1x14
SDD2-L-EM TC	875	SEM10	D002088TC1301405	C	60,8	C	E	E	61	530	1x14
SDD2-L-EM TC	875	SEM12	D002088TC1311405	B	71,7	A	E	E	68	668	1x14
SDD2-L INOX LED	875	on-board	D002088PB1282415	A	44,5	A	E	E	68	757	1x5
SDD2-L-EM INOX LED	875	SEM1	D002088PB1292415	B	54,5	A	A	E	59	682	1x5
SDD2-L-EM INOX LED	875	SEM2	D002088PB1152415	C	82,9	C	A	E	62	731	1x5
SDD2-L-EM INOX LED	875	SEM7 Ø150	D002088PB1162415	A+	109,2	A	A	F	72	1142	1x5
SDD2-L-EM INOX LED	875	SEM7 Ø200	D002088PB1162415	A+	112,9	A	A	F	74	1328	1x5
SDD2-L-EM INOX LED	875	SEM8	D002088PB1172415	C	102,6	B	A	F	64	753	1x5
SDD2-L-EM INOX LED	875	SEM10	D002088PB1302415	C	54,3	C	A	E	61	530	1x5
SDD2-L-EM INOX LED	875	SEM12	D002088PB1312415	B	65,2	C	A	E	68	668	1x5
SDD2-L-TC LED	875	on-board	D002088TC1282415	A	44,5	A	A	E	68	757	1x5


### SCET

The remote motor controller enables to control the external motors (SEM) Sirius in case of special products, wooden made hoods or ventilation systems without using the finished product.



### KF

Charcoal filters for use with or when recirculating




### LBR

Stainless steel baffle filter- optional upgrade




### DF

(AIR DEViator FOR USE WITH KF WHEN RECIRCULATING)




### REMOTE CONTROL

(optional)




### S-DF2\*\*

AIR DEViator FOR USE WITH CEILING HOODS WHEN RECIRCULATING BUILT-IN VERSION  
The air deviator needs to be installed at a minimum distance of 1500mm from the extractor



### ISLAND FIXING SYSTEM

PATENTED



\* Optional bracket kit  
\*\*Cut out: create a niche of 502mm x 202mm  
whose minimum height to be reached is 220mm.



DOWNDRAFT  
UPRIGHT

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at Intensive /Boost setting	Lighting
SD02-L-EM TC LED	875	SEM1	D0020887C1292415	B	54.5	A	E	A	59	682	1x5
SD02-L-EM TC LED	875	SEM2	D0020887C1152415	C	82.9	C	A	E	62	731	1x5
SD02-L-EM TC LED	875	SEM7/0150	D0020887C1152415	A+	109.2	A	A	F	72	1142	1x5
SD02-L-EM TC LED	875	SEM7/0200	D0020887C1162415	A+	112.9	A	A	F	74	1328	1x5
SD02-L-EM TC LED	875	SEM8	D0020887C112415	C	102.6	B	A	F	64	753	1x5
SD02-L-EM TC LED	875	SEM10	D0020887C1302415	C	54.3	C	A	E	61	530	1x5
SD02-L-EM TC LED	875	SEM12	D0020887C132415	B	65.2	A	A	E	68	668	1x5
SD02-L-EM TC LED	875	SEM12	D002118PB1281317	B	60.7	A	F	E	65	791	1x21
SD02-L-EM TC LED	1175	SEM1	D002118PB1291317	B	58.7	A	F	E	57	738	1x21
SD02-L-EM INOX	1175	SEM8	D002118PB1171317	C	107.3	B	F	F	60	807	1x21
SD02-L-EM INOX	1175	SEM8	D002118PB1171317	C	67.1	C	F	E	59	559	1x21
SD02-L-EM INOX	1175	SEM10	D002118PB1301317	C	60.7	A	F	E	65	791	1x21
SD02-L-EM TC	1175	SEM1	D002118TC1281317	B	58.7	A	F	E	55	736	1x21
SD02-L-EM TC	1175	SEM2	D002118TC1291317	C	99.4	B	F	E	57	738	1x21
SD02-L-EM TC	1175	SEM8	D002118TC1151317	C	107.3	B	F	F	60	807	1x21
SD02-L-EM TC	1175	SEM10	D002118TC1301317	C	67.1	C	F	E	59	559	1x21
SD03-EM TC	520	SEM1	D003052TC128XX07	A	45.9	A	E	A	69	636	no
SD03-EM TC	520	SEM2	D003052TC115XX07	C	83	C	n/A	E	66	595	no
SD03-EM TC	520	SEM8	D003052TC117XX07	C	101.1	C	n/A	E	68	577	no
SD03-EM TC	520	SEM10	D003052TC130XX07	B	52.2	C	n/A	E	70	622	no
SD04-EM TC	880	SEM1	D0040887C1281415	A	51.1	A	E	E	67	478	no
SD04-EM TC	880	SEM1	D0040887C1291415	B	61.1	A	E	E	68	757	1x14
SD04-EM TC	880	SEM2	D0040887C151415	C	89.5	C	E	E	59	682	1x14
SD04-EM TC	880	SEM8	D0040887C1171415	C	109.2	B	E	F	64	753	1x14
SD04-EM TC	880	SEM10	D0040887C1301415	C	60.8	C	E	E	61	530	1x14
S-DD11 EM X	810	SEM1	D011088PB1282219	B	59.6	B	F	E	68	681	2x3,9
S-DD11 EM X	810	SEM2	D011088PB1152219	B	55.4	B	F	E	59	633	2x3,9
S-DD11 EM X	810	SEM10	D011088PB1302219	C	80.2	C	F	E	62	639	2x3,9
S-DD11 EM X	810	SEM12	D011088PB1312219	C	57.9	C	F	E	70	478	2x3,9
S-DD12 TC	870	on-board	D012088TC1282339	A	49.6	A	E	E	71	576	2x3,9
S-DD12 EM TC	870	SEM1	D012088TC1292339	B	51.7	A	E	E	68	750	1x12
S-DD12 EM TC	870	SEM2	D012088TC1152339	B	79.4	B	E	E	59	687	1x12
S-DD12 EM TC	870	SEM8	D012088TC1172339	B	97.9	B	E	F	64	816	1x12
S-DD12 EM TC	870	SEM10	D012088TC1302339	C	57.2	C	E	E	61	530	1x12
S-DD13	880	on-board	D013088TC1283163	A	50.8	A	C	C	68	690	1x9,5
S-DD13 EM	880	SEM1	D013088TC1293163	A	48.7	A	C	C	59	660	1x9,5
S-DD13 EM	880	SEM2	D013088TC1153163	B	75.2	B	C	C	62	665	1x9,5
S-DD13 EM	880	SEM8	D013088TC1173163	C	109.4	C	C	C	64	775	1x9,5
S-DD16 EM	845	SEM10	D016085TC1303163	C	65.7	D	C	C	61	525	1x9,5
S-DD16 EM	845	SEM1	D016085TC129XX61	A	47.5	B	n/A	C	66	600	no
S-DD16 EM	845	SEM2	D016085TC115XX61	B	73.6	C	n/A	D	68	582	no
S-DD16 EM	845	SEM10	D016085TC130XX61	B	52.1	C	n/A	C	70	484	no
S-DD16 EM	845	SEM12	D016085TC131XX61	B	73.6	C	n/A	C	71	577	no
S-DD16 EM	845	SEM13	D016085TC125XX61	C	87.2	C	n/A	C	66	645	no
S-DD17 EM	520	SEM1	D017052TC129XX69	A	47.8	A	n/A	C	66	618	no
S-DD17 EM	520	SEM2	D017052TC115XX69	B	73.1	C	n/A	D	68	597	no
S-DD17 EM	520	SEM10	D017052TC130XX69	C	59.7	D	n/A	C	70	493	no
S-DD17 EM	520	SEM12	D017052TC131XX69	B	67.5	B	n/A	C	71	642	no
S-DD17 EM	520	SEM13	D017052TC125XX69	C	87.2	C	n/A	C	66	645	no
UPRIGHT-EM BUILT-IN	800	on-board	U001087PB1280262	A	48.5	A	B	F	68	755	1x10,5
UPRIGHT-EM BUILT-IN	800	SEM1	U001087PB1290262	A	55	A	B	F	59	685	1x10,5
UPRIGHT-EM BUILT-IN	800	SEM2	U001087PB1150262	C	91	C	B	F	62	763	1x10,5

CEILING  
HOODS

Product name	Dim.	Motor	Model Identifier	Energy Efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at Intensive /Boost setting	Lighting
SLT951 EM		SEM1	C951110RC1291037	C	89	A	F	F	57	706	4x16
SLT951 EM		SEM2	C951110RC1151037	C	129.5	B	F	F	61	773	4x16
SLT951 EM		SEM8	C951110RC1171037	C	138.2	B	F	F	64	869	4x16
SLT958 EM		on-board	C958090RC1280137	A	54.8	A	B	F	57	758	2x6,5
SLT958 EM		SEM1	C958090RC1290137	B	63.1	B	B	F	65	670	2x6,5
SLT958 EM		SEM2	C958090RC1150137	B	73.4	A	B	F	59	790	2x6,5
SLT958 EM		SEM8	C958090RC1170137	B	96.9	B	B	F	62	900	2x6,5
SLT958 W		on-board	C958090RC1280137	A	54.8	A	B	F	67	758	2x6,5
SLT958 EM W		SEM1	C958090RC1290137	B	63.1	B	B	F	55	670	2x6,5
SLT958 EM W		SEM2	C958090RC1150137	B	73.4	A	B	F	59	790	2x6,5
SLT958 EM W		SEM8	C958090RC1170137	B	96.9	B	B	F	62	900	2x6,5
SLT960		on-board	C960110RC1280435	B	69.1	A	E	F	66	753	2x18,5
SLT960 EM		SEM1	C960110RC1290435	B	83.8	B	E	F	65	681	2x18,5
SLT960 EM		SEM2	C960110RC1150435	C	97.8	B	E	F	71	736	2x18,5
SLT960 EM		SEM8	C960110RC1170435	C	120.1	B	E	F	70	855	2x18,5
SLT962		on-board	C962090RC1241940	C	63.3	C	D	F	61	604	1x20
SLT962 EM		SEM1	C962090RC1291940	B	74.6	D	F	F	65	602	1x20
SLT962 EM		SEM2	C962090RC1151940	C	101.8	C	D	F	71	610	1x20
SLT962 EM		SEM8	C962090RC1171940	B	104	B	D	F	70	832	1x20
SLT963		on-board	C963095RC1240324	C	75.9	C	B	F	69	579	2x15,5
SLT963 EM		SEM1	C963095RC1290324	B	81.7	B	B	F	65	690	2x15,5
SLT963 EM		SEM2	C963095RC1150324	C	92.1	B	F	F	71	733	2x15,5
SLT963 EM		SEM8	C963095RC1170324	C	112	B	B	F	70	832	2x15,5
SLT965		on-board	C965110RC1270460	B	87.6	B	E	F	70	707	2x18,5
SLT965		on-board	C965110RC1240460	C	79.3	C	E	F	66	588	2x18,5
SLT965 EM		SEM1	C965110RC1290460	B	72	A	E	F	65	687	2x18,5
SLT965 EM		SEM2	C965110RC1150460	C	98.1	B	E	F	71	695	2x18,5
SLT965 EM		SEM8	C965110RC1170460	C	120.1	B	E	F	70	855	2x18,5
SLT966		on-board	C966100RC1243268	B	56.4	C	C	F	63	615	2x5
SLT966 EM		on-board	C966100RC1273268	B	68.6	B	C	F	68	757	2x5
SLT966 EM		SEM1	C966100RC1293268	A	51.3	A	C	F	71	675	2x5
SLT966 EM		SEM2	C966100RC1153268	B	79.2	B	C	F	69	790	2x5
SLT966 EM		SEM8	C966100RC1173268	C	111.1	C	C	F	69	990	2x5
SLT967		on-board	C967100RC1242565	C	71.8	C	O	F	63	615	2x15,5
SLT967 EM		on-board	C967100RC1272565	B	84	B	O	F	68	757	2x15,5
SLT967 EM		SEM1	C967100RC1292565	B	66.6	A	O	F	71	675	2x15,5
SLT967 EM		SEM2	C967100RC1152565	C	94.5	B	O	F	71	691	2x15,5
SLT967 EM		SEM8	C967100RC1172565	C	126.4	C	O	F	69	790	2x15,5

DECORATIVE ISLAND

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at Intensive/boost setting	Lighting
SIL 5	900	on-board	I005090PB1280637	A	47,7	A	A	A	70	720	4x2,10
SIL 5	1200	on-board	I005120PB1280637	A	47,7	A	A	A	70	720	4x2,10
SILEM 5	900	SEM1	I005090PB1280637	A	53,8	A	A	A	70	703	4x2,10
SILEM 5	900	SEM2	I005090PB1150637	B	74,0	B	A	A	70	723	4x2,10
SIL 24	900	on-board	I024090PB1280137	A	49,3	A	B	A	70	730	2x6,5
SIL 24 TC	900	on-board	I024090PB1280137	A	49,3	A	B	A	70	730	2x6,5
MO 404	on-board	on-board	I404036RC1282604	A	44,3	A	D	D	71	730	1x4
MO 405	on-board	on-board	I405040RC1282604	A	44,3	A	D	D	71	730	1x4
MO 406	on-board	on-board	I406040RC1280857	B	70,6	A	D	D	71	730	1x40

WALL HOODS

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at Intensive/boost setting	Lighting
SL 31	600	on-board	P031060PB1280637	A	42,3	A	A	A	72	719	2x2,1
SL 31	900	on-board	P031090PB1280637	A	44,6	A	A	B	72	720	2x2,1
SL 31	1000	on-board	P031100PB1280637	A	44,6	A	A	B	72	720	2x2,1
SL 31	1200	on-board	P031120PB1280637	A	44,6	A	A	B	72	720	2x2,1
SL 31-EM	900	SEM1	P031090PB1280637	A	50,7	A	A	A	72	703	2x2,1
SL 31-EM	900	SEM2	P031090PB1150637	B	70,9	B	A	A	72	723	2x2,1
SL 50	600	on-board	P050060PB1280657	A	46,6	A	B	B	70	762	2x2,1
SILR 75 (60)	600	on-board	P075060RB1101121	B	63,6	B	B	D	71	647	1x6,5
SILR 75 (90)	900	on-board	P075090RB1280220	A+	45,6	B	B	D	71	757	1x10,5
SILR 75 (60)	600	on-board	P075060TC1010121	B	63,6	B	B	D	71	647	1x6,5
SILR 75 (90)	900	on-board	P075090TC1280220	A+	45,6	B	B	D	71	757	1x10,5
SILTC 86 80	800	on-board	P086080TC1010157	B	64,5	B	B	D	71	604	2x6,5
SL 69 55	550	on-board	P089055PB1280542	A	44,4	A	A	E	69	748	2x2,1
SL 69 80	800	on-board	P089080PB1280542	A	45,4	A	A	E	69	750	2x2,1
SILTC 90 55	550	on-board	P090055TC1280113	A	46,0	A	B	C	69	748	1x6,5
SILTC 91 80	800	on-board	P091080TC1280122	A	47,1	A	B	D	69	750	1x6,5
SILTC 92	900	on-board	P092090TC1280137	A	49,3	A	B	A	72	730	2x6,5
SL 92	900	on-board	P092090PB1280137	A	49,3	A	B	A	72	730	2x6,5
SILTC 93 60	600	on-board	P093060TC1280122	A	46,0	A	B	C	65	748	1x6,5
SILTC 93 90	800	on-board	P093080TC1280122	A	47,1	A	B	C	69	750	1x6,5
SILTC 94	800	on-board	P094080TC1280113	A	47,1	A	B	D	69	750	1x6,5
SILTC 95	670	on-board	P095067TC1280118	A	45,9	A	B	B	69	698	1x6,5
SILTC 97	900	on-board	P097090TC1280102	A	45,9	A	B	A	72	773	2x6,5
SILTC 103	700	on-board	P103070TC1280113	A	46,0	A	B	C	65	748	1x6,5
IMO 207		on-board	P207040RC1282604	A	44,3	A	A	D	71	730	1x4
IMO 208		on-board	P208036RC1282604	A	44,3	A	A	D	71	730	1x4

BUILT-IN PRODUCTS

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at Intensive/boost setting	Lighting
SM 900	520	on-board	G900052PB1010657	B	58,1	B	A	B	70	604	2x2,1
SM 900	700	on-board	G900070PB1010657	B	54,9	B	A	B	70	654	2x2,1
SL 900	520	on-board	G900052PB1280657	A	46,6	A	A	B	70	762	2x2,1
SL 900	700	on-board	G900070PB1280657	A	46,9	A	A	B	70	773	2x2,1
SLT 900	520	on-board	G900052RC1280657	A	46,6	A	A	B	70	762	2x2,1
SLT 900	700	on-board	G900070RC1280657	A	46,9	A	A	B	70	773	2x2,1
SLT 903-P	700	on-board	G903070PB1280541	A	55,2	A	A	B	69	700	4x2,1
SL 903-P-EM	700	SEM1	G903070PB1290541	B	58,1	B	A	B	65	630	4x2,1
SL 903-P-EM	700	SEM2	G903070PB1150541	C	80,2	C	A	B	66	630	4x2,1
SL 903-P	900	on-board	G903090PB1280541	A	50,9	A	B	A	69	705	4x2,1
SL 903-P-EM	900	SEM1	G903090PB1290541	B	58,5	B	A	B	65	624	4x2,1
SL 903-P-EM	900	SEM2	G903090PB1150541	C	81,1	C	A	B	66	632	4x2,1
SM 905	520	on-board	G905052PB1010624	B	58,1	B	A	B	70	604	2x2,1
SL 906-L	520	on-board	G906052PB1280152	A	46,5	A	A	B	70	654	2x2,1
SL 906-L	850	on-board	G906085PB1280253	A	49,0	A	A	B	71	680	1x6,5
SL 906-L	850	on-board	G906085PB1280253	A	49,0	A	B	A	71	743	1x10,5
SL 907	1000	on-board	G906100PB1280349	A	52,7	A	B	A	71	743	1x15,5
SL 907	520	on-board	G907052PB1281159	B	55,3	A	F	B	69	682	2x6
SL 907	700	on-board	G907070PB1281246	B	67,9	A	F	B	69	715	2x15
SL 909	856	on-board	G909086PB1282648	A	46,0	A	A	A	71	757	2x4
SL 909	1400	on-board	G909140PB1282648	A	49,2	A	A	A	71	768	4x4
SL 913	520	on-board	G913052PB1280127	A	58,8	A	D	B	69	668	1x6,5
SL 913	780	on-board	G913078PB1280227	A	52,2	A	E	B	69	721	1x10,5
SL 914	520	on-board	G914052PB1280529	A	57,1	A	A	B	69	668	2x2,1
SL 914	850	on-board	G914078PB1280524	A	55,7	A	A	B	69	721	2x2,1
SILTC 919	520	on-board	G919052TC1280166	A	46,5	A	A	A	71	680	1x6,5
SILTC 919	850	on-board	G919085TC1280267	A+	45,6	A	B	A	71	772	1x10,5

art direction

Giacomo Fava

The printing process do not always permit  
a faithful reproduction of tones  
and materials of originals.

Sirius S.p.A. reserves the right to change,  
at any time and without prior warning,  
the technical specifications of any product  
illustrated in this catalogue.

This catalogue is of exclusive propriety  
of Sirius spa. All rights are reserved.  
Any form of total or partial reproduction  
of catalogue is strictly forbidden.

Security and respect of the general requirements  
of Directives are the basis for the realization  
of our products. It is a question of quality  
and security, well spread in our company.  
Together with the protection of environment,  
and the health of our employees. Working  
with us with passion, being respectful and  
taking care of our company is like living at home.

### **SIRIUS S.p.a.**

Zona Ind.le Berbentina 6/A

60041 Sassoferrato (An)

Tel. +39 0732.97171

Fax. +39 0732.95493

[www.siriuscappe.com](http://www.siriuscappe.com)



JANUARY 2017  
cod. 99000000017